

PA-SERIES



PA-D26SPN (HORN TWEETER)

THIELE-SMALL PARAMETERS


Resonance Frequency	Fs	1800	Hz
DC Resistance	Re	7.3	ohm
Mechanical Q Factor	Qms	11.160	
Electrical Q Factor	Qes	4.202	
Total Q Factor	Qts	3.052	
Voice - coil inductance @ 1kHz	Le	0.04	mH

GENERAL SPECIFICATIONS


Size	76 mm (3") x 53 mm (2")		
Rated Impedance	8	ohm	
Power Handling Capacity	30	Watts Above 7.4 kHz	
	60	Watts Above 6 kHz	
Sensitivity 1W@1m	100.0	dB	1 kHz
Operating Bandwidth	3kHz - 20kHz		
Voice Coil Diameter	25.4	mm	1.0 Inch
Throat Diameter	34.4	mm	1.3 Inch
Recommended Crossover	Not Lower Than 2 nd Order @7.4kHz		
Flux Density	1.3 T (13000 Gauss)		

PHYSICAL INFORMATION

Magnet	Neodymium	0.4 oz.
Type/Size	ODxIDxH (mm)	24 X 0 X 5
Finished	Die Cast Aluminum	
Diaphragm Material	25.4 mm 1" Polytherimide Film	
Terminal	Screw-On	
Mounting type	Screw-On	
Voice coil Former	Kapton Bobbin	
Voice coil Material	Edge Wound Copper Clad Aluminium	
	Ribbon Wire	
Packing Quantity	30 Pieces / Carton	
Net Weight	0.23 Kg (0.5 Lb)/piece	
Gross Weight	0.27 kg(0.6 Lb) /piece	
Packing Dimension WxLxH (mm)	310 X 400 X 250	
	12in X 15.7in x 10in	
	1.09 Cu.Ft	



TOP VIEW



SIDE VIEW

